



City of Garden Ridge

"A way of life, not just a place to live"

AGENDA WATER COMMISSION REGULAR MEETING TUESDAY, JULY 27, 2021, 6:00 P.M.

The Water Commission will meet in a regular session on Tuesday, July 27, 2021, at 6:00 p.m. in the City Council Chambers, 9400 Municipal Parkway, Garden Ridge, Texas. This is an open meeting, open to the public, subject to the Open Meetings Law of the State of Texas, and as required by law, notice is hereby posted providing time, place, date, and agenda thereof. The meeting facility is wheelchair accessible and accessible parking spaces are provided. Requests for accommodations or interpretative services must be made to the City Secretary 48 hours prior to this meeting.

1. Call to Order

2. Roll Call

3. Pledge of Allegiance

4. Citizen Comment Period – limited to 30 minutes total

Rules for Citizens' Participation: The Commission welcomes citizen participation and comments at all Commission Meetings. The Commission offers citizens the opportunity to address them by signing up to speak prior to the meeting. If you speak, you must follow these guidelines:

- a) Respect and courtesy:
 1. Direct your comments to the entire Commission, not to an individual member, nor to the audience.
 2. Show the Commission the same respect that you would like to be shown.
 3. End your speaking at the time allotted below.
- b) Speaking:
 1. First citizen comment period.
 - i. You are required to sign up to speak and you are limited to one 3-minute period.
 2. Second citizen comment period.
 - i. You are not required to sign up and you are limited to one 2-minute period.
 3. State your name and address before your comments begin.
 4. You are only allowed to speak once per topic, unless also speaking during a posted Public Hearing.

NOTE: The Texas Open Meetings Act permits a member of the public or a member of the governmental body to raise a subject that has not been included in the notice for the meeting. However, any discussion of the subject must be limited to a proposal to place the subject on the agenda for a future meeting and any response to a question posed to the Commission is limited to either a statement of specific factual information or a recitation of existing policy. Tex. Gov't Code § 551.042.

5. Business Items

The following items are for discussion, consideration, and/or action.

a) Approvals

1. Minutes for June 22, 2021, Water Commission Regular Meeting.

b) Discussions/Reports/Updates

1. Utility Department Monthly Activity Report.
 - i. Water Pumping/usage from City wells, Water system infrastructure maintenance, repairs and/or projects, and Water and/or Drought Management (current Watering Stage).
2. Items applicable to the Water Commission discussed at the July City Council Meeting.

c) Recommendations

1. Request for appeal on water leak adjustment denial for 19023 Seminole Pass for the billing period of October 23, 2021 – November 23, 2020.
 - i. Review and make a recommendation regarding the request.

2. Water Commission activities and projects.
 - i. Update Commissioner's activities and projects list and receive update from Commissioners.
 - ii. Discuss and make possible recommendations on future meetings or direction regarding Water Commission activities and projects.
3. Ordinance No. 210-022018 An Ordinance of the City Council of the City of Garden Ridge adopting board and commission policy and procedures; providing that this Ordinance shall be cumulative of all Ordinances; providing a severability clause; providing a savings clause; and providing an effective date.
 - i. Interview possible candidates for Water Commission, Place 1 vacancy (term expiring September 30, 2022).
 - ii. Make recommendations to City Council for appointment of commissioner.
 - iii. Discuss and make recommendations related to application of Ordinance provisions to Commission members, if needed.
- d) Future Agenda Items
 1. Commissioners input on agenda items.
 2. Announce the date, time, and location for next meeting (August 24, 2021 at 6:00 p.m. at City Hall).
6. **Citizen Comment Period** – limited to 20 minutes total
See "Rules for Citizen's Participation" under Item 4.
7. **Adjournment**


AGENDA NOTICES:

Decorum Required: Any disruptive behavior, including shouting or derogatory statements or comments may be ruled out of order by the Presiding Officer. Continuation of this type of behavior could result in a request by the Presiding Officer that the individual leave the meeting, and if refused, an order of removal.

Action by Commission Authorized: The Commission may vote or act upon any item within this Agenda.

Attendance By Other Elected or Appointed Officials: It is anticipated that members of the City Council, other city board, commissions and/or committees may attend the meeting in numbers that may constitute a quorum of the other city boards, commissions and/or committees. Notice is hereby given that the meeting, to the extent required by law, is also noticed as a meeting of the City Council, other boards, commissions and/or committees of the City, whose members may be in attendance. The members of the boards, commissions and/or committees may participate in discussions on the same items listed on the agenda, which occur at the meeting, but no action will be taken by such in attendance unless such item and action is specifically provided for on an agenda for that board, commission, or committee subject to the Texas Open Meetings Act.

This is to certify that I, Michelle Hinojosa, posted this Agenda at 8:50 a.m. on July 21, 2021, on the bulletin board located at the entrance to the Garden Ridge City Hall, 9400 Municipal Parkway, Garden Ridge, Texas.


Michelle Hinojosa
Utility Clerk



City of Garden Ridge

"A way of life, not just a place to live"

MINUTES WATER COMMISSION REGULAR MEETING TUESDAY, JUNE 22, 2021, 6:00 P.M.

Commissioners Present:

Chair James Mueller
Vice-Chair Keven Harshbarger
Commissioner Joseph Haltaman
Commissioner Dr. Richard Carmichael
Commissioner Don Stone

Commissioners Absent:

Mayor Robb Erickson, Ex-officio, Voluntary Announced Absense
Commissioner Angus Beaird, Unannounced Absense

City Staff, City Councilmembers, and Other Commissioners Present:

Nancy Cain, City Administrator
Steven Steinmetz, Interim Utility Manager
Marisa Spencer, City Secretary
Kat Balbi, Assistant City Secretary
Michelle Hinojosa, Utility Clerk
Jesse Valdez, City Councilmember

1. Call to Order

With a quorum of the Water Commissioners present, Chair Mueller called the regular meeting of the Garden Ridge Water Commission to order at 6:01 p.m. on Tuesday, June 22, 2021, in the City Council Chambers of the Garden Ridge City Hall, 9400 Municipal Parkway, Garden Ridge, Texas 78266.

2. Roll Call: See above.

3. Pledge of Allegiance: Chair Mueller led the Pledge of Allegiance.

4. Citizen Comment Period: No one signed up to speak.

5. Business Items

The following items are for discussion, consideration, and/or action.

a) Approvals

1. Minutes for May 25, 2021, Water Commission Regular Meeting.

Motion: A motion was made by Vice-Chair Harshbarger, seconded by Commissioner Stone, to approve the minutes for the May 25, 2021, Water Commission Regular Meeting. The Commission voted four (4) for and none (0) opposed. The motion carried unanimously.

b) Discussions/Reports/Updates

1. Water Manager Monthly Activity Report.

Steven Steinmetz, Interim Utility Manager, reviewed the monthly activity report and answered questions from the Commission.

2. Update on over pumping of Edwards Water Rights in 2020.

Nancy Cain, City Administrator, updated the Commission on over pumping of Edwards Water Rights in 2020.

3. Items applicable to the Water Commission discussed at the June City Council Meeting.

Chair Mueller updated the Commission on the items applicable to the Commission discussed at the June City Council Meeting.

c) Recommendations

1. Request for water leak adjustment for 8802 Wild Wind Park for the billing period of January 22, 2021 – February 22, 2021.

i. Review and make a recommendation regarding the request.

The Commission reviewed the leak adjustment for 8802 Wild Wind Park submitted by Mr. Anthony Frasco; the requestor was in attendance to address questions from the Commission. The Commission discussed the leak adjustment and agreed the maximum allowable adjustment was previously made through City Council's approval of Resolution No. 471-032021.

2. Water Commission activities and projects.

i. Update of Commissioner's activities and projects list and receive update from Commissioners.

The Commissioners updated the Commission on their activities and projects. The Commission discussed the Consumption Data Analysis.

ii. Discuss and make possible recommendations on future meetings or direction regarding Water Commission activities and projects.

Chair Mueller requested specific objectives from the Commissioners for the project list due next month.

3. Ordinance No. 210-022018 An Ordinance of the City Council of the City of Garden Ridge adopting board and commission policy and procedures; providing that this Ordinance shall be cumulative of all Ordinances; providing a severability clause; providing a savings clause; and providing an effective date.

i. Discuss and accept the resignation of Commissioner Beard.

The Commission discussed the resignation of Commissioner Beard.

Motion: A motion was made by Commissioner Stone, seconded by Commissioner Dr. Carmichael, to recommend to City Council to accept the resignation of Commissioner Beard. The Commission voted four (4) for and none (0) opposed. The motion carried unanimously.

ii. Discuss and make recommendations related to application of Ordinance provisions to Commission members, if needed.

The Commission had none at this time.

d) Future Agenda Items

1. Commissioners input on agenda items.

Commissioner Dr. Carmichael requested an update on the status of the Water Manager's position.

2. Announce the date, time, and location for next meeting (July 27, 2021, at 6:00 p.m. at City Hall).

Chair Mueller announced the next Water Commission Regular Meeting will be held on Tuesday, July 27, 2021, at 6:00 p.m. at City Hall in the City Council Chambers.

6. Citizen Comment Period: No one wished to speak.

7. Adjournment

Motion: A motion was made by Commissioner Haltaman, seconded by Commissioner Stone, to adjourn. The Commission voted four (4) for and none (0) opposed. The motion carried unanimously. There being no further business, the Tuesday, June 22, 2021, Water Commission Regular Meeting was adjourned at 6:48 p.m. by Chair Mueller.

ATTEST:

James Mueller
Chair


Michelle Hinojosa
Utility Clerk



Water Department Report

As of June 30, 2021

City of Garden Ridge Aquifer Usage




	Month:	Year:	Available:	Stage:
Edwards Well Usage AC/FT:	9.4	33.81	608.32	0
Trinity Well Usage AC/FT:	82.9	316.34	N/A	0

Water Quality

Backteriological Samples	Due :	Missed:	Passed:	Failed:
Distribution Samples :	6	0	6	0
Raw Water Samples :	2	0	2	0
Chlorine Residual Test:	30	0	30	0

2019 – 2020 Pumping Report



	Total Pumped (Thousands)	Total Sold (Thousands)	Total Unsold (Thousands)	Unaccountable Unsold (Thousands)	Unaccountable Unsold %
June '20	38,442	37,110	1,332	1,286	3.3%
July '20	51,469	48,851	2,618	2,574	5.0%
Aug '20	48,799	46,446	2,333	2,286	4.7%
Sept '20	32,959	29,855	3,104	3,057	9.3%
Oct '20	39,216	35,752	3,464	3,418	8.7%
Nov '20	37,299	33,440	3,860	3,821	10.2%
Dec '20	23,077	20,270	2,807	2,736	11.9%
Jan '21	20,655	Insufficient	Data	-	
Feb '21	23,123	20,390	2,733	2,696	11.7%
Mar '21	20,744	18,627	2,117	2,030	9.8%
April '21	34,076	31,287	2,789	2,728	8.0%
May '21	21,642	19,080	2,562	2,391	11.0%
June '21	27,531	25,505	2,026	1,684	6.1%
Yearly Average	32,233	30,551	2,645	2,559	8.3%

Water Department Monthly Activities:

New Installed Meters	1	Work Orders	195
Meter Replacements	0	Locates	42
City Owned Leaks	3	Irrigations Permits Issued	0
Meters Read	1681	Total Rebates	0
Meter Tests	0	Active Customer Leaks	136

Leak Adjustments

New Requests	1	Waiting for Customer		Approved	0	Amount Approved	\$0	Denied	0	Sent to Water Commission	
--------------	---	----------------------	--	----------	---	-----------------	-----	--------	---	--------------------------	--

Projects & Announcements:

- Whispering Oaks Project is Ongoing
 - Reviewing Project As-Builts and is 99% complete
- Workflow Management System Implementation
 - Ongoing.
- AMI Project is Ongoing
 - 99% complete
- 2252 Wastewater Project Ongoing
 - Contractor has installed 85% of the Wastewater Main
- 2252 TXDOT Water Line Ongoing
 - Working on funding


COVID-19 Pandemic

The Water Department is continuing to be vigilant to keep our staff and infrastructure safe from the spread of the Coronavirus. We are still cleaning facilities, vehicles, and equipment daily to ensure our staff and water system stay safe. Our team members have a positive outlook. We are keeping a close eye on the situation and can increase or decrease our continuity of operations if and when necessary.



City of Garden Ridge

"A way of life, not just a place to live"



APPENDIX "F"

For Office Use Only

2070 - 76 W

WATER LEAK ADJUSTMENT REQUEST

To Be Completed By Customer

Name: Balfour & Nell Wright
Address: 19023 Seminole Pass
Bracken TX 78266

Phone: 210-846-5425 (6952)
Billing Period: 10/23 - 11/30

Bill Amount: _____

Email Address: _____

Please explain circumstances of the higher bill: Our Pressure valve was defective/faulted
& could have cause damages to seals in various
areas of the home, thus causing high bill.
This was not easily identifiable problem

Do you suspect criminal activity?

Circle:

YES

NO

If yes, please submit a copy of your Police Report.

What corrective measures/repairs have been made? Please provide documentation/receipts.

inspected & serviced water softener system, replaced cut off
pressure valve. Serviced running toilet

What are you specifically requesting of the Water Department?

An Adjustment
of the bill for the period in question.

Balfour Wright
Signature

12/21/20
Date

Please attach supporting documentation to this page.



City of Garden Ridge Water Department
9400 Municipal Parkway
Garden Ridge, Texas 78266
(210)-651-6831
Fax (210)-651-9638
www.ci.garden-ridge.tx.us



Account Number	Amount Due
	\$3,366.08
Due Date	After Due Date Pay
12/15/2020	\$3,702.17
Service Address	
19023 SEMINOLE PASS	

There will be a charge on all returned checks.
Please return this portion with your payment.
When paying in person, please bring both portions of this bill.

**AUTO SORT CRRT R164
BALFOUR WRIGHT
19023 SEMINOLE PASS
SAN ANTONIO TX 78266-2842



City of Garden Ridge Water Department
9400 Municipal Parkway
Garden Ridge, Texas 78266
(210)-651-6831
Fax (210)-651-9638
www.ci.garden-ridge.tx.us

Pay online at www.municipalonlinepayments.com/gardenridgetx/utilities

Pay by phone at 866-285-1323

Please return this portion with your payment. When paying in person please bring both portions of this bill.

CUSTOMER ACCOUNT INFORMATION - RETAIN FOR YOUR RECORDS

Name				Service Address			Account Number
BALFOUR WRIGHT				19023 SEMINOLE PASS			
Status	Service Dates		Number of Days	Bill Date	Penalty Date	Due Date	
	From	To					
ACTIVE	10/23/2020	11/23/2020	31	11/30/2020	12/16/2020	12/15/2020	

PREVIOUS BALANCE 1,299.88
PAYMENTS 399.88
PENALTIES 89.85


CURRENT READING 2907
PREVIOUS READING 2741
USAGE 166000

PAST DUE AMOUNT \$989.85
WATER 2,343.47
EAA FEE 3.03
GARBAGE 26.00
CTG FEE 0.60
HAZ WASTE 0.98
SALES TAX 2.15


CURRENT BILL \$2,376.23

AMOUNT DUE \$3,366.08

AMOUNT DUE AFTER 12/15/2020 \$3,702.17



CHRISTMAS TREE LIGHTING WITH
SANTA CLAUS LN DRIVE THRU DEC 4 AT 6PM
CITY OFFICES CLOSED DEC 24 - 25, 2020
AND JAN 1, 2021 FOR CITY HOLIDAYS
AFTER HOURS CONTACT 210-651-6831
FOR WATER AND LOST/FOUND PETS.



Sweet Water - San Antonio

210-650-4000

E-mail

Created on: 11/04/2020 17:12:01 by: samantha

Technician Signature _____

Customer Signature

[illegible]

ASAP Plumbing Service #2 (210) 330-3547

**2222 Cee Gee St
San Antonio, TX 78217**

Time In: _____

Time Out: _____

Autho#: _____

Rate 1 2 3 4 5

Thank to broad
Dante - 15
1/2 hour - 6.5

ed: H^0 stacked high
still we can hardly
toiled bathing
vol. H^0 also has
nature will need
and expansion for the
rior to morning

PRV ☒ N Softener ☒ N
complete ☐ Follow Up Proposal

78765 (512) 936-5200

HERRAFLO PLUMBING.
6000 Randolph Blvd 26104
San Antonio TX 78233
RMP 38869

20201106
Invoice date
11/25/20

INVOICE

Location of work

19023 SEMINOLE PASS
GARDEN RIDGE TX 78260

Description of work

UPSTAIRS TOILET RUNNING AND LEAKING
REPLACE ALL TANK PARTS

LABOR

75.00

MATERIAL

25.00

TOTAL

100.00

PAID

100.00

Thank you
Roberto Herrera
210 621 8014
Complaints
TEXAS STATE BOARD OF PLUMBING EXAMINERS
PO BOX 12078
Austin TX 78711
PH 512 939 5200 FAX 512 450 0637

HERRAFLO PLUMBING.
6000 Randolph Blvd 26104
San Antonio TX 78233
RMP 38869

2020 11 04
Invoice date
11/23/20

INVOICE

Location of work

19023 SEMINOLE PASS
GARDEN RIDGE TX 78246

Description of work

REPLACE CUT OFF VALVE AND PRESSURE
REDUCING VALVE (PRV) DUE TO EXCESSIVE PRESSURE (110PSI)
HIGH PRESSURE CAUSE SOFTNOR TO DUMP/DRAIN HIGH
VOLUMES OF WATER. WATERLINE DUG UP AND EXISTING
VALVE AND PRV CUT OUT AND REPLACED. VISUAL INSPECTION
GOOD BEFORE COVER UP. PRESSURE SET TO 70 PSI

LABOR

200.00

MATERIAL

PRV, LF VALVE, PVC PIPE AND FITTINGS 150.00

TOTAL

350.00

PAID

350.00


Thank you
Roberto Herrera
210 621 8014
Complaints
TEXAS STATE BOARD OF PLUMBING EXAMINERS
PO BOX 12078
Austin TX 78711
PH 512 939 5200 FAX 512 450 0637



City of Garden Ridge Water Department
9400 Municipal Parkway
Garden Ridge, Texas 78266
(210)-651-6831
Fax (210)-651-9638
www.ci.garden-ridge.tx.us



**AUTO SORT CRRT R164
BALFOUR WRIGHT
19023 SEMINOLE PASS
SAN ANTONIO TX 78266-2842



Pay online at www.municipalonlinepayments.com/gardenridgetx/utilities

Pay by phone at 866-285-1323

Please return this portion with your payment. When paying in person please bring both portions of this bill.

Account Number	Amount Due
	\$3,366.08
Due Date	After Due Date Pay
12/15/2020	\$3,702.17
Service Address	
19023 SEMINOLE PASS	


There will be a charge on all returned checks.
Please return this portion with your payment.
When paying in person, please bring both portions of this bill.

City of Garden Ridge Water Department
9400 Municipal Parkway
Garden Ridge, Texas 78266
(210)-651-6831
Fax (210)-651-9638
www.ci.garden-ridge.tx.us

CUSTOMER ACCOUNT INFORMATION - RETAIN FOR YOUR RECORDS

Name			Service Address			Account Number
BALFOUR WRIGHT			19023 SEMINOLE PASS			
Status	Service Dates		Number of Days	Bill Date	Penalty Date	Due Date
	From	To				
ACTIVE	10/23/2020	11/23/2020	31	11/30/2020	12/16/2020	12/15/2020

PREVIOUS BALANCE	1,299.88
PAYMENTS	399.88
PENALTIES	89.85
PAST DUE AMOUNT	\$989.85
CURRENT READING	2907
PREVIOUS READING	2741
USAGE	166000
WATER	2,343.47
EAA FEE	3.03
GARBAGE	26.00
CTG FEE	0.60
HAZ WASTE	0.98
SALES TAX	2.15
CURRENT BILL	\$2,376.23
AMOUNT DUE	\$3,366.08
AMOUNT DUE AFTER 12/15/2020	\$3,702.17



HAPPY NEW YEAR FROM CITY HALL
CHRISTMAS TREE/BRUSH & RECYCLE DUMPSTERS
AT CITY COMPLEX JAN 2-3, 9-10, 16-17, 23-24
CITY HALL AND LIBRARY CLOSED JAN 1 & 18
AFTER HOURS CONTACT 210-651-6831
FOR WATER AND LOST/FOUND PETS.

Account Number:		WRIGHT, BALFOUR										
		Service		# of		Demand				Fuel	Demand	
Bill Date	Tno	From	To	Days	Consumption	Consu...	Total Bill	Bill Amount	Tax	Adjust...	Amount	Tax
11/30/2020	673	10/23/2020	11/23/2020	31	166	0.0000	2,343.47	2,343.47	0.00	0.00	0.00	0.00
10/31/2020	676	09/23/2020	10/23/2020	30	111	0.0000	1,267.12	1,267.12	0.00	0.00	0.00	0.00
09/30/2020	678	08/24/2020	09/23/2020	30	102	0.0000	1,090.99	1,090.99	0.00	0.00	0.00	0.00
08/31/2020	680	07/23/2020	08/24/2020	32	47	0.0000	269.80	269.80	0.00	0.00	0.00	0.00
07/31/2020	682	06/22/2020	07/23/2020	31	53	0.0000	332.50	332.50	0.00	0.00	0.00	0.00
06/30/2020	684	05/21/2020	06/22/2020	32	34	0.0000	156.11	156.11	0.00	0.00	0.00	0.00
05/31/2020	686	04/23/2020	05/21/2020	28	34	0.0000	156.11	156.11	0.00	0.00	0.00	0.00
05/01/2020	688	03/23/2020	04/23/2020	31	55	0.0000	353.40	353.40	0.00	0.00	0.00	0.00
03/31/2020	690	02/20/2020	03/23/2020	32	60	0.0000	414.80	414.80	0.00	0.00	0.00	0.00
02/28/2020	692	01/21/2020	02/20/2020	30	40	0.0000	205.75	205.75	0.00	0.00	0.00	0.00
01/31/2020	694	12/20/2019	01/21/2020	32	46	0.0000	259.35	259.35	0.00	0.00	0.00	0.00
12/31/2019	696	11/21/2019	12/20/2019	29	33	0.0000	134.22	134.22	0.00	0.00	0.00	0.00
11/30/2019	698	10/23/2019	11/21/2019	29	42	0.0000	198.59	198.59	0.00	0.00	0.00	0.00
10/31/2019	700	09/23/2019	10/23/2019	30	80	0.0000	614.25	614.25	0.00	0.00	0.00	0.00
09/25/2019	702	08/22/2019	09/23/2019	32	75	0.0000	544.40	544.40	0.00	0.00	0.00	0.00
08/30/2019	703	07/22/2019	08/22/2019	31	78	0.0000	586.31	586.31	0.00	0.00	0.00	0.00
07/31/2019	708	06/24/2019	07/22/2019	28	58	0.0000	343.31	343.31	0.00	0.00	0.00	0.00
06/30/2019	710	05/23/2019	06/24/2019	32	58	0.0000	343.31	343.31	0.00	0.00	0.00	0.00
05/31/2019	712	04/22/2019	05/23/2019	31	43	0.0000	204.16	204.16	0.00	0.00	0.00	0.00
04/30/2019	714	03/21/2019	04/22/2019	32	34	0.0000	137.91	137.91	0.00	0.00	0.00	0.00
03/31/2019	716	02/21/2019	03/21/2019	28	20	0.0000	66.85	66.85	0.00	0.00	0.00	0.00
02/28/2019	718	01/23/2019	02/21/2019	29	22	0.0000	74.79	74.79	0.00	0.00	0.00	0.00
01/31/2019	720	12/19/2018	01/23/2019	35	16	0.0000	50.97	50.97	0.00	0.00	0.00	0.00
12/31/2018	722	11/20/2018	12/19/2018	29	15	0.0000	47.00	47.00	0.00	0.00	0.00	0.00
					Avg 55	Avg 0.00	Avg 424.81	Avg 424.81	Avg 0.0	Avg 0.0	Avg 0.00	Avg 0.00

BALFOUR WRIGHT

19023 SEMINOLE PASS

- KAMSTRUP - 3/4"

Date / Time	Hourly Usage	Meter Reading
01-06-2021 09:00	0.0	4,622.0
01-06-2021 10:00	3.0	4,625.0
01-06-2021 11:00	8.0	4,633.0
01-06-2021 12:00	2.0	4,635.0
01-06-2021 13:00	9.0	4,644.0
01-06-2021 14:00	16.0	4,660.0
01-06-2021 15:00	6.0	4,666.0
01-06-2021 16:00	27.0	4,693.0
01-06-2021 17:00	47.0	4,740.0
01-06-2021 18:00	7.0	4,747.0
01-06-2021 19:00	1.0	4,748.0
01-06-2021 20:00	11.0	4,759.0
01-06-2021 21:00	12.0	4,771.0
01-06-2021 22:00	108.0	4,879.0
01-06-2021 23:00	0.0	4,879.0
01-06-2021 23:59	1.0	4,880.0
01-07-2021 01:00	2.0	4,882.0
01-07-2021 02:00	0.0	4,882.0
01-07-2021 03:00	3.0	4,885.0
01-07-2021 04:00	0.0	4,885.0
01-07-2021 05:00	0.0	4,885.0
01-07-2021 06:00	749.0	5,634.0
01-07-2021 07:00	635.0	6,269.0
01-07-2021 08:00	689.0	6,958.0
01-07-2021 09:00	6.0	6,964.0
01-07-2021 10:00	2.0	6,966.0
01-07-2021 11:00	3.0	6,969.0
01-07-2021 12:00	11.0	6,980.0
01-07-2021 13:00	44.0	7,024.0
01-07-2021 14:00	14.0	7,038.0
01-07-2021 15:00	2.0	7,040.0
01-07-2021 16:00	213.0	7,253.0
01-07-2021 17:00	486.0	7,739.0
01-07-2021 18:00	455.0	8,194.0
01-07-2021 19:00	473.0	8,667.0
01-07-2021 20:00	500.0	9,167.0
01-07-2021 21:00	452.0	9,619.0
01-07-2021 22:00	454.0	10,073.0
01-07-2021 23:00	451.0	10,524.0

01-07-2021 23:59	458.0	10,982.0	Pool Leak?
01-08-2021 01:00	454.0	11,436.0	
01-08-2021 02:00	454.0	11,890.0	
01-08-2021 03:00	491.0	12,381.0	
01-08-2021 04:00	464.0	12,845.0	
01-08-2021 05:00	449.0	13,294.0	
01-08-2021 06:00	1,031.0	14,325.0	
01-08-2021 07:00	943.0	15,268.0	
01-08-2021 08:00	984.0	16,252.0	
01-08-2021 09:00	456.0	16,708.0	
01-08-2021 10:00	282.0	16,990.0	
01-08-2021 11:00	3.0	16,993.0	
01-08-2021 12:00	1.0	16,994.0	
01-08-2021 13:00	3.0	16,997.0	
01-08-2021 14:00	6.0	17,003.0	
01-08-2021 15:00	18.0	17,021.0	
01-08-2021 16:00	58.0	17,079.0	
01-08-2021 17:00	89.0	17,168.0	
01-08-2021 18:00	14.0	17,182.0	
01-08-2021 19:00	17.0	17,199.0	
01-08-2021 20:00	21.0	17,220.0	
01-08-2021 21:00	18.0	17,238.0	
01-08-2021 22:00	123.0	17,361.0	
01-08-2021 23:00	2.0	17,363.0	
01-08-2021 23:59	0.0	17,363.0	
01-09-2021 01:00	0.0	17,363.0	
01-09-2021 02:00	0.0	17,363.0	
01-09-2021 03:00	3.0	17,366.0	
01-09-2021 04:00	0.0	17,366.0	
01-09-2021 05:00	1.0	17,367.0	
01-09-2021 06:00	743.0	18,110.0	
01-09-2021 07:00	642.0	18,752.0	
01-09-2021 08:00	687.0	19,439.0	
01-09-2021 09:00	22.0	19,461.0	
01-09-2021 10:00	3.0	19,464.0	
01-09-2021 11:00	6.0	19,470.0	
01-09-2021 12:00	2.0	19,472.0	
01-09-2021 13:00	24.0	19,496.0	
01-09-2021 14:00	19.0	19,515.0	
01-09-2021 15:00	423.0	19,938.0	
01-09-2021 16:00	408.0	20,346.0	
01-09-2021 17:00	34.0	20,380.0	
01-09-2021 18:00	56.0	20,436.0	
01-09-2021 19:00	6.0	20,442.0	
01-09-2021 20:00	9.0	20,451.0	
01-09-2021 21:00	2.0	20,453.0	
01-09-2021 22:00	0.0	20,453.0	

01-09-2021 23:00	1.0	20,454.0
01-09-2021 23:59	1.0	20,455.0
01-10-2021 01:00	2.0	20,457.0
01-10-2021 02:00	4.0	20,461.0
01-10-2021 03:00	52.0	20,513.0
01-10-2021 04:00	7.0	20,520.0
01-10-2021 05:00	0.0	20,520.0
01-10-2021 06:00	0.0	20,520.0
01-10-2021 07:00	0.0	20,520.0
01-10-2021 08:00	1.0	20,521.0
01-10-2021 09:00	11.0	20,532.0
01-10-2021 10:00	0.0	20,532.0
01-10-2021 11:00	4.0	20,536.0
01-10-2021 12:00	5.0	20,541.0
01-10-2021 13:00	6.0	20,547.0
01-10-2021 14:00	5.0	20,552.0
01-10-2021 15:00	2.0	20,554.0
01-10-2021 16:00	7.0	20,561.0
01-10-2021 17:00	21.0	20,582.0
01-10-2021 18:00	10.0	20,592.0
01-10-2021 19:00	64.0	20,656.0
01-10-2021 20:00	52.0	20,708.0
01-10-2021 21:00	21.0	20,729.0
01-10-2021 22:00	6.0	20,735.0
01-10-2021 23:00	8.0	20,743.0
01-10-2021 23:59	0.0	20,743.0
01-11-2021 01:00	2.0	20,745.0
01-11-2021 02:00	3.0	20,748.0
01-11-2021 03:00	0.0	20,748.0
01-11-2021 04:00	0.0	20,748.0
01-11-2021 05:00	2.0	20,750.0
01-11-2021 06:00	1.0	20,751.0
01-11-2021 07:00	5.0	20,756.0
01-11-2021 08:00	1.0	20,757.0
01-11-2021 09:00	0.0	20,757.0
01-11-2021 10:00	229.0	20,986.0
01-11-2021 11:00	40.0	21,026.0
01-11-2021 12:00	4.0	21,030.0
01-11-2021 13:00	25.0	21,055.0
01-11-2021 14:00	13.0	21,068.0
01-11-2021 15:00	1.0	21,069.0
01-11-2021 16:00	28.0	21,097.0
01-11-2021 17:00	68.0	21,165.0
01-11-2021 18:00	2.0	21,167.0
01-11-2021 19:00	9.0	21,176.0
01-11-2021 20:00	7.0	21,183.0
01-11-2021 21:00	0.0	21,183.0

01-11-2021 22:00	0.0	21,183.0
01-11-2021 23:00	1.0	21,184.0
01-11-2021 23:59	1.0	21,185.0
01-12-2021 01:00	2.0	21,187.0
01-12-2021 02:00	0.0	21,187.0
01-12-2021 03:00	52.0	21,239.0
01-12-2021 04:00	6.0	21,245.0
01-12-2021 05:00	2.0	21,247.0
01-12-2021 06:00	0.0	21,247.0
01-12-2021 07:00	11.0	21,258.0
01-12-2021 08:00	0.0	21,258.0
01-12-2021 09:00	0.0	21,258.0
01-12-2021 10:00	1.0	21,259.0
01-12-2021 11:00	0.0	21,259.0
01-12-2021 12:00	7.0	21,266.0
01-12-2021 13:00	0.0	21,266.0
01-12-2021 14:00	0.0	21,266.0
01-12-2021 15:00	35.0	21,301.0
01-12-2021 16:00	2.0	21,303.0
01-12-2021 17:00	44.0	21,347.0
01-12-2021 18:00	36.0	21,383.0
01-12-2021 19:00	28.0	21,411.0
01-12-2021 20:00	5.0	21,416.0
01-12-2021 21:00	1.0	21,417.0
01-12-2021 22:00	2.0	21,419.0
01-12-2021 23:00	1.0	21,420.0
01-12-2021 23:59	0.0	21,420.0
01-13-2021 01:00	0.0	21,420.0
01-13-2021 02:00	2.0	21,422.0
01-13-2021 03:00	0.0	21,422.0
01-13-2021 04:00	0.0	21,422.0
01-13-2021 05:00	2.0	21,424.0
01-13-2021 06:00	0.0	21,424.0
01-13-2021 07:00	3.0	21,427.0
01-13-2021 08:00	0.0	21,427.0
01-13-2021 09:00	278.0	21,705.0
01-13-2021 10:00	440.0	22,145.0
01-13-2021 11:00	263.0	22,408.0
01-13-2021 12:00	660.0	23,068.0
01-13-2021 13:00	413.0	23,481.0
01-13-2021 14:00	5.0	23,486.0
01-13-2021 15:00	17.0	23,503.0
01-13-2021 16:00	4.0	23,507.0
01-13-2021 17:00	92.0	23,599.0
01-13-2021 18:00	6.0	23,605.0
01-13-2021 19:00	15.0	23,620.0

Pool Repair invoice

01-13-2021 20:00	24.0	23,644.0
01-13-2021 21:00	0.0	23,644.0
01-13-2021 22:00	0.0	23,644.0
01-13-2021 23:00	1.0	23,645.0
01-13-2021 23:59	2.0	23,647.0
01-14-2021 01:00	7.0	23,654.0
01-14-2021 02:00	0.0	23,654.0
01-14-2021 03:00	36.0	23,690.0
01-14-2021 04:00	34.0	23,724.0
01-14-2021 05:00	1.0	23,725.0
01-14-2021 06:00	0.0	23,725.0
01-14-2021 07:00	8.0	23,733.0
01-14-2021 08:00	1.0	23,734.0
01-14-2021 09:00	0.0	23,734.0
01-14-2021 10:00	1.0	23,735.0
01-14-2021 11:00	3.0	23,738.0
01-14-2021 12:00	5.0	23,743.0
01-14-2021 13:00	10.0	23,753.0
01-14-2021 14:00	7.0	23,760.0
01-14-2021 15:00	23.0	23,783.0
01-14-2021 16:00	13.0	23,796.0
01-14-2021 17:00	63.0	23,859.0
01-14-2021 18:00	2.0	23,861.0
01-14-2021 19:00	4.0	23,865.0
01-14-2021 20:00	8.0	23,873.0
01-14-2021 21:00	30.0	23,903.0
01-14-2021 22:00	3.0	23,906.0
01-14-2021 23:00	0.0	23,906.0
01-14-2021 23:59	0.0	23,906.0
01-15-2021 01:00	1.0	23,907.0
01-15-2021 02:00	0.0	23,907.0
01-15-2021 03:00	2.0	23,909.0
01-15-2021 04:00	1.0	23,910.0
01-15-2021 05:00	0.0	23,910.0
01-15-2021 06:00	0.0	23,910.0
01-15-2021 07:00	0.0	23,910.0
01-15-2021 08:00	6.0	23,916.0
01-15-2021 09:00	11.0	23,927.0
01-15-2021 10:00	4.0	23,931.0
01-15-2021 11:00	11.0	23,942.0
01-15-2021 12:00	1.0	23,943.0
01-15-2021 13:00	11.0	23,954.0
01-15-2021 14:00	18.0	23,972.0
01-15-2021 15:00	12.0	23,984.0
01-15-2021 16:00	17.0	24,001.0
01-15-2021 17:00	6.0	24,007.0

01-15-2021 18:00	7.0	24,014.0
01-15-2021 19:00	10.0	24,024.0
01-15-2021 20:00	43.0	24,067.0
01-15-2021 21:00	4.0	24,071.0
01-15-2021 22:00	20.0	24,091.0
01-15-2021 23:00	8.0	24,099.0
01-15-2021 23:59	1.0	24,100.0
01-16-2021 01:00	4.0	24,104.0
01-16-2021 02:00	1.0	24,105.0
01-16-2021 03:00	4.0	24,109.0
01-16-2021 04:00	0.0	24,109.0
01-16-2021 05:00	1.0	24,110.0
01-16-2021 06:00	0.0	24,110.0
01-16-2021 07:00	0.0	24,110.0
01-16-2021 08:00	6.0	24,116.0
01-16-2021 09:00	16.0	24,132.0
01-16-2021 10:00	9.0	24,141.0
01-16-2021 11:00	0.0	24,141.0
01-16-2021 12:00	4.0	24,145.0
01-16-2021 13:00	4.0	24,149.0
01-16-2021 14:00	1.0	24,150.0
01-16-2021 15:00	16.0	24,166.0
01-16-2021 16:00	11.0	24,177.0
01-16-2021 17:00	7.0	24,184.0
01-16-2021 18:00	7.0	24,191.0
01-16-2021 19:00	59.0	24,250.0
01-16-2021 20:00	90.0	24,340.0
01-16-2021 21:00	26.0	24,366.0
01-16-2021 22:00	1.0	24,367.0
01-16-2021 23:00	0.0	24,367.0
01-16-2021 23:59	0.0	24,367.0
01-17-2021 01:00	3.0	24,370.0
01-17-2021 02:00	1.0	24,371.0
01-17-2021 03:00	50.0	24,421.0
01-17-2021 04:00	10.0	24,431.0
01-17-2021 05:00	0.0	24,431.0
01-17-2021 06:00	0.0	24,431.0
01-17-2021 07:00	0.0	24,431.0
01-17-2021 08:00	2.0	24,433.0
01-17-2021 09:00	9.0	24,442.0
01-17-2021 10:00	5.0	24,447.0
01-17-2021 11:00	3.0	24,450.0
01-17-2021 12:00	3.0	24,453.0
01-17-2021 13:00	9.0	24,462.0
01-17-2021 14:00	9.0	24,471.0
01-17-2021 15:00	7.0	24,478.0
01-17-2021 16:00	12.0	24,490.0

01-17-2021 17:00	13.0	24,503.0
01-17-2021 18:00	4.0	24,507.0
01-17-2021 19:00	7.0	24,514.0
01-17-2021 20:00	11.0	24,525.0
01-17-2021 21:00	4.0	24,529.0
01-17-2021 22:00	8.0	24,537.0
01-17-2021 23:00	0.0	24,537.0
01-17-2021 23:59	0.0	24,537.0
01-18-2021 01:00	2.0	24,539.0
01-18-2021 02:00	1.0	24,540.0
01-18-2021 03:00	1.0	24,541.0
01-18-2021 04:00	0.0	24,541.0
01-18-2021 05:00	0.0	24,541.0
01-18-2021 06:00	2.0	24,543.0
01-18-2021 07:00	0.0	24,543.0
01-18-2021 08:00	6.0	24,549.0
01-18-2021 09:00	19.0	24,568.0
01-18-2021 10:00	182.0	24,750.0
01-18-2021 11:00	267.0	25,017.0
01-18-2021 12:00	260.0	25,277.0
01-18-2021 13:00	269.0	25,546.0
01-18-2021 14:00	267.0	25,813.0
01-18-2021 15:00	277.0	26,090.0
01-18-2021 16:00	1,025.0	27,115.0
01-18-2021 17:00	848.0	27,963.0
01-18-2021 18:00	928.0	28,891.0
01-18-2021 19:00	267.0	29,158.0
01-18-2021 20:00	285.0	29,443.0
01-18-2021 21:00	273.0	29,716.0
01-18-2021 22:00	367.0	30,083.0
01-18-2021 23:00	260.0	30,343.0
01-18-2021 23:59	260.0	30,603.0
01-19-2021 01:00	262.0	30,865.0
01-19-2021 02:00	261.0	31,126.0
01-19-2021 03:00	261.0	31,387.0
01-19-2021 04:00	258.0	31,645.0
01-19-2021 05:00	259.0	31,904.0
01-19-2021 06:00	946.0	32,850.0
01-19-2021 07:00	867.0	33,717.0
01-19-2021 08:00	900.0	34,617.0
01-19-2021 09:00	274.0	34,891.0
01-19-2021 10:00	259.0	35,150.0
01-19-2021 11:00	148.0	35,298.0
01-19-2021 12:00	3.0	35,301.0
01-19-2021 13:00	79.0	35,380.0
01-19-2021 14:00	1.0	35,381.0
01-19-2021 15:00	81.0	35,462.0

01-19-2021 16:00	51.0	35,513.0
01-19-2021 17:00	49.0	35,562.0
01-19-2021 18:00	5.0	35,567.0
01-19-2021 19:00	9.0	35,576.0
01-19-2021 20:00	11.0	35,587.0
01-19-2021 21:00	4.0	35,591.0
01-19-2021 22:00	0.0	35,591.0
01-19-2021 23:00	3.0	35,594.0
01-19-2021 23:59	1.0	35,595.0
01-20-2021 01:00	3.0	35,598.0
01-20-2021 02:00	0.0	35,598.0
01-20-2021 03:00	48.0	35,646.0
01-20-2021 04:00	7.0	35,653.0
01-20-2021 05:00	0.0	35,653.0
01-20-2021 06:00	728.0	36,381.0
01-20-2021 07:00	645.0	37,026.0
01-20-2021 08:00	689.0	37,715.0
01-20-2021 09:00	27.0	37,742.0
01-20-2021 10:00	8.0	37,750.0
01-20-2021 11:00	2.0	37,752.0
01-20-2021 12:00	0.0	37,752.0
01-20-2021 13:00	3.0	37,755.0
01-20-2021 14:00	17.0	37,772.0
01-20-2021 15:00	17.0	37,789.0
01-20-2021 16:00	56.0	37,845.0
01-20-2021 17:00	86.0	37,931.0
01-20-2021 18:00	1.0	37,932.0
01-20-2021 19:00	5.0	37,937.0
01-20-2021 20:00	13.0	37,950.0
01-20-2021 21:00	3.0	37,953.0
01-20-2021 22:00	120.0	38,073.0
01-20-2021 23:00	2.0	38,075.0
01-20-2021 23:59	0.0	38,075.0
01-21-2021 01:00	1.0	38,076.0
01-21-2021 02:00	1.0	38,077.0
01-21-2021 03:00	1.0	38,078.0
01-21-2021 04:00	0.0	38,078.0
01-21-2021 05:00	5.0	38,083.0
01-21-2021 06:00	727.0	38,810.0
01-21-2021 07:00	644.0	39,454.0
01-21-2021 08:00	688.0	40,142.0
01-21-2021 09:00	15.0	40,157.0
01-21-2021 10:00	3.0	40,160.0
01-21-2021 11:00	0.0	40,160.0
01-21-2021 12:00	1.0	40,161.0
01-21-2021 13:00	11.0	40,172.0
01-21-2021 14:00	33.0	40,205.0

01-21-2021 15:00	5.0	40,210.0
01-21-2021 16:00	61.0	40,271.0
01-21-2021 17:00	29.0	40,300.0
01-21-2021 18:00	71.0	40,371.0
01-21-2021 19:00	5.0	40,376.0
01-21-2021 20:00	27.0	40,403.0
01-21-2021 21:00	12.0	40,415.0
01-21-2021 22:00	1.0	40,416.0
01-21-2021 23:00	0.0	40,416.0
01-21-2021 23:59	0.0	40,416.0
01-22-2021 01:00	2.0	40,418.0
01-22-2021 02:00	0.0	40,418.0
01-22-2021 03:00	49.0	40,467.0
01-22-2021 04:00	10.0	40,477.0
01-22-2021 05:00	0.0	40,477.0
01-22-2021 06:00	726.0	41,203.0
01-22-2021 07:00	643.0	41,846.0
01-22-2021 08:00	699.0	42,545.0
01-22-2021 09:00	17.0	42,562.0
01-22-2021 10:00	2.0	42,564.0
01-22-2021 11:00	1.0	42,565.0
01-22-2021 12:00	6.0	42,571.0
01-22-2021 13:00	2.0	42,573.0
01-22-2021 14:00	0.0	42,573.0
01-22-2021 15:00	0.0	42,573.0
01-22-2021 16:00	32.0	42,605.0
01-22-2021 17:00	58.0	42,663.0
01-22-2021 18:00	6.0	42,669.0
01-22-2021 19:00	10.0	42,679.0
01-22-2021 20:00	17.0	42,696.0
01-22-2021 21:00	10.0	42,706.0
01-22-2021 22:00	120.0	42,826.0
01-22-2021 23:00	0.0	42,826.0
01-22-2021 23:59	1.0	42,827.0
01-23-2021 01:00	0.0	42,827.0
01-23-2021 02:00	0.0	42,827.0
01-23-2021 03:00	1.0	42,828.0
01-23-2021 04:00	2.0	42,830.0
01-23-2021 05:00	0.0	42,830.0
01-23-2021 06:00	733.0	43,563.0
01-23-2021 07:00	639.0	44,202.0
01-23-2021 08:00	694.0	44,896.0
01-23-2021 09:00	19.0	44,915.0
01-23-2021 10:00	17.0	44,932.0
01-23-2021 11:00	4.0	44,936.0
01-23-2021 12:00	3.0	44,939.0
01-23-2021 13:00	22.0	44,961.0

01-23-2021 14:00	1.0	44,962.0
01-23-2021 15:00	10.0	44,972.0
01-23-2021 16:00	37.0	45,009.0
01-23-2021 17:00	11.0	45,020.0
01-23-2021 18:00	12.0	45,032.0
01-23-2021 19:00	38.0	45,070.0
01-23-2021 20:00	30.0	45,100.0
01-23-2021 21:00	7.0	45,107.0
01-23-2021 22:00	2.0	45,109.0
01-23-2021 23:00	5.0	45,114.0
01-23-2021 23:59	2.0	45,116.0
01-24-2021 01:00	2.0	45,118.0
01-24-2021 02:00	0.0	45,118.0
01-24-2021 03:00	48.0	45,166.0
01-24-2021 04:00	7.0	45,173.0
01-24-2021 05:00	3.0	45,176.0
01-24-2021 06:00	734.0	45,910.0
01-24-2021 07:00	640.0	46,550.0
01-24-2021 08:00	698.0	47,248.0
01-24-2021 09:00	20.0	47,268.0
01-24-2021 10:00	3.0	47,271.0
01-24-2021 11:00	1.0	47,272.0
01-24-2021 12:00	16.0	47,288.0
01-24-2021 13:00	9.0	47,297.0
01-24-2021 14:00	4.0	47,301.0
01-24-2021 15:00	7.0	47,308.0
01-24-2021 16:00	12.0	47,320.0
01-24-2021 17:00	67.0	47,387.0
01-24-2021 18:00	17.0	47,404.0
01-24-2021 19:00	7.0	47,411.0
01-24-2021 20:00	1.0	47,412.0
01-24-2021 21:00	5.0	47,417.0
01-24-2021 22:00	115.0	47,532.0
01-24-2021 23:00	1.0	47,533.0
01-24-2021 23:59	0.0	47,533.0
01-25-2021 01:00	0.0	47,533.0
01-25-2021 02:00	0.0	47,533.0
01-25-2021 03:00	1.0	47,534.0
01-25-2021 04:00	3.0	47,537.0
01-25-2021 05:00	1.0	47,538.0
01-25-2021 06:00	730.0	48,268.0
01-25-2021 07:00	646.0	48,914.0
01-25-2021 08:00	568.0	49,482.0
01-25-2021 09:00	1.0	49,483.0
01-25-2021 10:00	4.0	49,487.0
01-25-2021 11:00	0.0	49,487.0
01-25-2021 12:00	7.0	49,494.0

01-25-2021 13:00	2.0	49,496.0
01-25-2021 14:00	11.0	49,507.0
01-25-2021 15:00	15.0	49,522.0
01-25-2021 16:00	64.0	49,586.0
01-25-2021 17:00	21.0	49,607.0
01-25-2021 18:00	6.0	49,613.0
01-25-2021 19:00	19.0	49,632.0
01-25-2021 20:00	6.0	49,638.0
01-25-2021 21:00	4.0	49,642.0
01-25-2021 22:00	0.0	49,642.0
01-25-2021 23:00	0.0	49,642.0
01-25-2021 23:59	0.0	49,642.0
01-26-2021 01:00	0.0	49,642.0
01-26-2021 02:00	7.0	49,649.0
01-26-2021 03:00	3.0	49,652.0
01-26-2021 04:00	3.0	49,655.0
01-26-2021 05:00	1.0	49,656.0
01-26-2021 06:00	1.0	49,657.0
01-26-2021 07:00	7.0	49,664.0
01-26-2021 08:00	11.0	49,675.0
01-26-2021 09:00	0.0	49,675.0
01-26-2021 10:00	3.0	49,678.0
01-26-2021 11:00	0.0	49,678.0
01-26-2021 12:00	0.0	49,678.0
01-26-2021 13:00	0.0	49,678.0
01-26-2021 14:00	1.0	49,679.0
01-26-2021 15:00	4.0	49,683.0
01-26-2021 16:00	36.0	49,719.0
01-26-2021 17:00	31.0	49,750.0
01-26-2021 18:00	4.0	49,754.0
01-26-2021 19:00	20.0	49,774.0
01-26-2021 20:00	3.0	49,777.0
01-26-2021 21:00	5.0	49,782.0
01-26-2021 22:00	1.0	49,783.0
01-26-2021 23:00	1.0	49,784.0
01-26-2021 23:59	2.0	49,786.0
01-27-2021 01:00	2.0	49,788.0
01-27-2021 02:00	0.0	49,788.0
01-27-2021 03:00	49.0	49,837.0
01-27-2021 04:00	8.0	49,845.0
01-27-2021 05:00	0.0	49,845.0
01-27-2021 06:00	0.0	49,845.0
01-27-2021 07:00	3.0	49,848.0
01-27-2021 08:00	0.0	49,848.0
01-27-2021 09:00	5.0	49,853.0
01-27-2021 10:00	1.0	49,854.0
01-27-2021 11:00	1.0	49,855.0

01-27-2021 12:00	11.0	49,866.0
01-27-2021 13:00	13.0	49,879.0
01-27-2021 14:00	23.0	49,902.0
01-27-2021 15:00	38.0	49,940.0
01-27-2021 16:00	8.0	49,948.0
01-27-2021 17:00	0.0	49,948.0
01-27-2021 18:00	10.0	49,958.0
01-27-2021 19:00	25.0	49,983.0
01-27-2021 20:00	1.0	49,984.0
01-27-2021 21:00	0.0	49,984.0
01-27-2021 22:00	2.0	49,986.0
01-27-2021 23:00	2.0	49,988.0
01-27-2021 23:59	1.0	49,989.0
01-28-2021 01:00	0.0	49,989.0
01-28-2021 02:00	1.0	49,990.0
01-28-2021 03:00	1.0	49,991.0
01-28-2021 04:00	0.0	49,991.0
01-28-2021 05:00	0.0	49,991.0
01-28-2021 06:00	0.0	49,991.0
01-28-2021 07:00	7.0	49,998.0
01-28-2021 08:00	0.0	49,998.0
01-28-2021 09:00	1.0	49,999.0
01-28-2021 10:00	5.0	50,004.0
01-28-2021 11:00	13.0	50,017.0
01-28-2021 12:00	4.0	50,021.0
01-28-2021 13:00	1.0	50,022.0
01-28-2021 14:00	0.0	50,022.0
01-28-2021 15:00	0.0	50,022.0
01-28-2021 16:00	39.0	50,061.0
01-28-2021 17:00	14.0	50,075.0
01-28-2021 18:00	3.0	50,078.0
01-28-2021 19:00	80.0	50,158.0
01-28-2021 20:00	12.0	50,170.0
01-28-2021 21:00	0.0	50,170.0
01-28-2021 22:00	0.0	50,170.0
01-28-2021 23:00	0.0	50,170.0
01-28-2021 23:59	0.0	50,170.0
01-29-2021 01:00	1.0	50,171.0
01-29-2021 02:00	0.0	50,171.0
01-29-2021 03:00	0.0	50,171.0
01-29-2021 04:00	0.0	50,171.0
01-29-2021 05:00	0.0	50,171.0
01-29-2021 06:00	1.0	50,172.0
01-29-2021 07:00	4.0	50,176.0
01-29-2021 08:00	2.0	50,178.0
01-29-2021 09:00	0.0	50,178.0
01-29-2021 10:00	1.0	50,179.0

02-28-2021 23:00	0.0	93,928.0
02-28-2021 23:59	1.0	93,929.0
03-01-2021 01:00	3.0	93,932.0
03-01-2021 02:00	0.0	93,932.0
03-01-2021 03:00	0.0	93,932.0
03-01-2021 04:00	0.0	93,932.0
03-01-2021 05:00	2.0	93,934.0
03-01-2021 06:00	0.0	93,934.0
03-01-2021 07:00	8.0	93,942.0
03-01-2021 08:00	1.0	93,943.0
03-01-2021 09:00	21.0	93,964.0
03-01-2021 10:00	38.0	94,002.0
03-01-2021 11:00	15.0	94,017.0
03-01-2021 12:00	31.0	94,048.0
03-01-2021 13:00	33.0	94,081.0
03-01-2021 14:00	9.0	94,090.0
03-01-2021 15:00	21.0	94,111.0
03-01-2021 16:00	49.0	94,160.0
03-01-2021 17:00	34.0	94,194.0
03-01-2021 18:00	7.0	94,201.0
03-01-2021 19:00	13.0	94,214.0
03-01-2021 20:00	11.0	94,225.0
03-01-2021 21:00	14.0	94,239.0
03-01-2021 22:00	1.0	94,240.0
03-01-2021 23:00	0.0	94,240.0
03-01-2021 23:59	0.0	94,240.0
03-02-2021 01:00	4.0	94,244.0
03-02-2021 02:00	2.0	94,246.0
03-02-2021 03:00	51.0	94,297.0
03-02-2021 04:00	13.0	94,310.0
03-02-2021 05:00	0.0	94,310.0
03-02-2021 06:00	0.0	94,310.0
03-02-2021 07:00	6.0	94,316.0
03-02-2021 08:00	2.0	94,318.0
03-02-2021 09:00	415.0	94,733.0
03-02-2021 10:00	429.0	95,162.0
03-02-2021 11:00	428.0	95,590.0
03-02-2021 12:00	441.0	96,031.0
03-02-2021 13:00	449.0	96,480.0
03-02-2021 14:00	444.0	96,924.0
03-02-2021 15:00	439.0	97,363.0
03-02-2021 16:00	474.0	97,837.0
03-02-2021 17:00	464.0	98,301.0
03-02-2021 18:00	449.0	98,750.0
03-02-2021 19:00	452.0	99,202.0
03-02-2021 20:00	476.0	99,678.0
03-02-2021 21:00	448.0	100,126.0

03-02-2021 22:00	445.0	100,571.0	Another leak?
03-02-2021 23:00	441.0	101,012.0	
03-02-2021 23:59	444.0	101,456.0	
03-03-2021 01:00	442.0	101,898.0	
03-03-2021 02:00	445.0	102,343.0	
03-03-2021 03:00	441.0	102,784.0	
03-03-2021 04:00	447.0	103,231.0	
03-03-2021 05:00	443.0	103,674.0	
03-03-2021 06:00	445.0	104,119.0	
03-03-2021 07:00	450.0	104,569.0	
03-03-2021 08:00	446.0	105,015.0	
03-03-2021 09:00	444.0	105,459.0	
03-03-2021 10:00	458.0	105,917.0	
03-03-2021 11:00	443.0	106,360.0	
03-03-2021 12:00	450.0	106,810.0	
03-03-2021 13:00	444.0	107,254.0	
03-03-2021 14:00	445.0	107,699.0	
03-03-2021 15:00	460.0	108,159.0	
03-03-2021 16:00	489.0	108,648.0	
03-03-2021 17:00	473.0	109,121.0	
03-03-2021 18:00	461.0	109,582.0	
03-03-2021 19:00	461.0	110,043.0	
03-03-2021 20:00	154.0	110,197.0	
03-03-2021 21:00	8.0	110,205.0	
03-03-2021 22:00	1.0	110,206.0	
03-03-2021 23:00	0.0	110,206.0	
03-03-2021 23:59	1.0	110,207.0	
03-04-2021 01:00	0.0	110,207.0	
03-04-2021 02:00	2.0	110,209.0	
03-04-2021 03:00	0.0	110,209.0	
03-04-2021 04:00	2.0	110,211.0	
03-04-2021 05:00	0.0	110,211.0	
03-04-2021 06:00	1.0	110,212.0	
03-04-2021 07:00	4.0	110,216.0	
03-04-2021 08:00	7.0	110,223.0	
03-04-2021 09:00	3.0	110,226.0	
03-04-2021 10:00	23.0	110,249.0	
03-04-2021 11:00	0.0	110,249.0	
03-04-2021 12:00	0.0	110,249.0	
03-04-2021 13:00	0.0	110,249.0	
03-04-2021 14:00	8.0	110,257.0	
03-04-2021 15:00	8.0	110,265.0	
03-04-2021 16:00	39.0	110,304.0	
03-04-2021 17:00	50.0	110,354.0	
03-04-2021 18:00	15.0	110,369.0	
03-04-2021 19:00	20.0	110,389.0	
03-04-2021 20:00	24.0	110,413.0	

03-04-2021 21:00	0.0	110,413.0
03-04-2021 22:00	2.0	110,415.0
03-04-2021 23:00	0.0	110,415.0
03-04-2021 23:59	3.0	110,418.0
03-05-2021 01:00	3.0	110,421.0
03-05-2021 02:00	1.0	110,422.0
03-05-2021 03:00	46.0	110,468.0
03-05-2021 04:00	11.0	110,479.0
03-05-2021 05:00	0.0	110,479.0
03-05-2021 06:00	0.0	110,479.0
03-05-2021 07:00	14.0	110,493.0
03-05-2021 08:00	1.0	110,494.0
03-05-2021 09:00	6.0	110,500.0
03-05-2021 10:00	1.0	110,501.0
03-05-2021 11:00	0.0	110,501.0
03-05-2021 12:00	2.0	110,503.0
03-05-2021 13:00	2.0	110,505.0
03-05-2021 14:00	9.0	110,514.0
03-05-2021 15:00	33.0	110,547.0
03-05-2021 16:00	61.0	110,608.0
03-05-2021 17:00	66.0	110,674.0
03-05-2021 18:00	1.0	110,675.0
03-05-2021 19:00	1.0	110,676.0
03-05-2021 20:00	8.0	110,684.0
03-05-2021 21:00	0.0	110,684.0
03-05-2021 22:00	0.0	110,684.0
03-05-2021 23:00	2.0	110,686.0
03-05-2021 23:59	0.0	110,686.0
03-06-2021 01:00	1.0	110,687.0
03-06-2021 02:00	0.0	110,687.0
03-06-2021 03:00	0.0	110,687.0
03-06-2021 04:00	0.0	110,687.0
03-06-2021 05:00	0.0	110,687.0
03-06-2021 06:00	1.0	110,688.0
03-06-2021 07:00	11.0	110,699.0
03-06-2021 08:00	6.0	110,705.0
03-06-2021 09:00	4.0	110,709.0
03-06-2021 10:00	3.0	110,712.0
03-06-2021 11:00	17.0	110,729.0
03-06-2021 12:00	8.0	110,737.0
03-06-2021 13:00	14.0	110,751.0
03-06-2021 14:00	2.0	110,753.0
03-06-2021 15:00	12.0	110,765.0
03-06-2021 16:00	13.0	110,778.0
03-06-2021 17:00	1.0	110,779.0
03-06-2021 18:00	35.0	110,814.0
03-06-2021 19:00	9.0	110,823.0

03-06-2021 20:00	24.0	110,847.0
03-06-2021 21:00	1.0	110,848.0
03-06-2021 22:00	2.0	110,850.0
03-06-2021 23:00	1.0	110,851.0
03-06-2021 23:59	0.0	110,851.0
03-07-2021 01:00	9.0	110,860.0
03-07-2021 02:00	2.0	110,862.0
03-07-2021 03:00	0.0	110,862.0
03-07-2021 04:00	0.0	110,862.0
03-07-2021 05:00	0.0	110,862.0
03-07-2021 06:00	2.0	110,864.0
03-07-2021 07:00	1.0	110,865.0
03-07-2021 08:00	11.0	110,876.0
03-07-2021 09:00	6.0	110,882.0
03-07-2021 10:00	14.0	110,896.0
03-07-2021 11:00	12.0	110,908.0
03-07-2021 12:00	7.0	110,915.0
03-07-2021 13:00	17.0	110,932.0
03-07-2021 14:00	14.0	110,946.0
03-07-2021 15:00	4.0	110,950.0
03-07-2021 16:00	5.0	110,955.0
03-07-2021 17:00	8.0	110,963.0
03-07-2021 18:00	76.0	111,039.0
03-07-2021 19:00	13.0	111,052.0
03-07-2021 20:00	39.0	111,091.0
03-07-2021 21:00	5.0	111,096.0
03-07-2021 22:00	117.0	111,213.0
03-07-2021 23:00	0.0	111,213.0
03-07-2021 23:59	1.0	111,214.0
03-08-2021 01:00	4.0	111,218.0
03-08-2021 02:00	0.0	111,218.0
03-08-2021 03:00	46.0	111,264.0
03-08-2021 04:00	12.0	111,276.0
03-08-2021 05:00	0.0	111,276.0
03-08-2021 06:00	135.0	111,411.0
03-08-2021 07:00	864.0	112,275.0
03-08-2021 08:00	719.0	112,994.0
03-08-2021 09:00	366.0	113,360.0
03-08-2021 10:00	3.0	113,363.0
03-08-2021 11:00	42.0	113,405.0
03-08-2021 12:00	13.0	113,418.0
03-08-2021 13:00	2.0	113,420.0
03-08-2021 14:00	4.0	113,424.0
03-08-2021 15:00	14.0	113,438.0
03-08-2021 16:00	65.0	113,503.0
03-08-2021 17:00	16.0	113,519.0
03-08-2021 18:00	3.0	113,522.0

03-08-2021 19:00	7.0	113,529.0
03-08-2021 20:00	16.0	113,545.0
03-08-2021 21:00	2.0	113,547.0
03-08-2021 22:00	0.0	113,547.0
03-08-2021 23:00	2.0	113,549.0
03-08-2021 23:59	2.0	113,551.0
03-09-2021 01:00	0.0	113,551.0
03-09-2021 02:00	0.0	113,551.0
03-09-2021 03:00	0.0	113,551.0
03-09-2021 07:00	1,003.0	114,554.0
03-09-2021 08:00	720.0	115,274.0
03-09-2021 09:00	366.0	115,640.0
03-09-2021 10:00	5.0	115,645.0
03-09-2021 11:00	2.0	115,647.0
03-09-2021 12:00	0.0	115,647.0
03-09-2021 13:00	0.0	115,647.0
03-09-2021 14:00	0.0	115,647.0
03-09-2021 15:00	0.0	115,647.0
03-09-2021 16:00	47.0	115,694.0
03-09-2021 17:00	14.0	115,708.0
03-09-2021 18:00	21.0	115,729.0
03-09-2021 19:00	18.0	115,747.0
03-09-2021 20:00	6.0	115,753.0
03-09-2021 21:00	1.0	115,754.0
03-09-2021 22:00	130.0	115,884.0
03-09-2021 23:00	0.0	115,884.0
03-09-2021 23:59	0.0	115,884.0
03-10-2021 01:00	0.0	115,884.0
03-10-2021 02:00	2.0	115,886.0
03-10-2021 03:00	0.0	115,886.0
03-10-2021 04:00	0.0	115,886.0
03-10-2021 05:00	0.0	115,886.0
03-10-2021 06:00	134.0	116,020.0
03-10-2021 07:00	865.0	116,885.0
03-10-2021 08:00	718.0	117,603.0
03-10-2021 09:00	365.0	117,968.0
03-10-2021 10:00	14.0	117,982.0
03-10-2021 11:00	1.0	117,983.0
03-10-2021 12:00	2.0	117,985.0
03-10-2021 13:00	13.0	117,998.0
03-10-2021 14:00	1.0	117,999.0
03-10-2021 15:00	18.0	118,017.0
03-10-2021 16:00	38.0	118,055.0
03-10-2021 17:00	45.0	118,100.0
03-10-2021 18:00	4.0	118,104.0
03-10-2021 19:00	1.0	118,105.0
03-10-2021 20:00	11.0	118,116.0

03-10-2021 21:00	0.0	118,116.0
03-10-2021 22:00	111.0	118,227.0
03-10-2021 23:00	2.0	118,229.0
03-10-2021 23:59	0.0	118,229.0
03-11-2021 01:00	2.0	118,231.0
03-11-2021 02:00	0.0	118,231.0
03-11-2021 03:00	50.0	118,281.0
03-11-2021 04:00	9.0	118,290.0
03-11-2021 05:00	1.0	118,291.0
03-11-2021 06:00	134.0	118,425.0
03-11-2021 07:00	865.0	119,290.0
03-11-2021 08:00	703.0	119,993.0
03-11-2021 09:00	370.0	120,363.0
03-11-2021 10:00	35.0	120,398.0
03-11-2021 11:00	12.0	120,410.0
03-11-2021 12:00	47.0	120,457.0
03-11-2021 13:00	2.0	120,459.0
03-11-2021 14:00	0.0	120,459.0
03-11-2021 15:00	0.0	120,459.0
03-11-2021 16:00	38.0	120,497.0
03-11-2021 17:00	40.0	120,537.0
03-11-2021 18:00	19.0	120,556.0
03-11-2021 19:00	2.0	120,558.0
03-11-2021 20:00	9.0	120,567.0
03-11-2021 21:00	0.0	120,567.0
03-11-2021 22:00	3.0	120,570.0
03-11-2021 23:00	0.0	120,570.0
03-11-2021 23:59	14.0	120,584.0
03-12-2021 01:00	5.0	120,589.0
03-12-2021 02:00	4.0	120,593.0
03-12-2021 03:00	14.0	120,607.0
03-12-2021 04:00	0.0	120,607.0
03-12-2021 05:00	1.0	120,608.0
03-12-2021 06:00	134.0	120,742.0
03-12-2021 07:00	865.0	121,607.0
03-12-2021 08:00	721.0	122,328.0
03-12-2021 09:00	372.0	122,700.0
03-12-2021 10:00	12.0	122,712.0
03-12-2021 11:00	15.0	122,727.0
03-12-2021 12:00	2.0	122,729.0
03-12-2021 13:00	0.0	122,729.0
03-12-2021 14:00	0.0	122,729.0
03-12-2021 15:00	0.0	122,729.0
03-12-2021 16:00	30.0	122,759.0
03-12-2021 17:00	34.0	122,793.0
03-12-2021 18:00	1.0	122,794.0
03-12-2021 19:00	0.0	122,794.0



City of Garden Ridge

"A way of life, not just a place to live"

To Be Completed By Water Department

Bill Amount: _____ Average Bill Amount: _____

Date Received: _____ Received By: _____

Historic Usage and Analysis: _____

Customer History of Requests: _____

Water Manager Review and Comments: _____

Additional information requested: _____ Date Requested: _____

Additional Information submitted: _____ Date Received: _____

Amount Approved: _____

Disapproved: _____

Referred to Water Commission: _____

Jacob Parsons
Water Manager or Designee Signature

Date

From: [Water Manager](#)
To: [Assistant City Secretary](#); [REDACTED]
Subject: RE: 19023 Seminole Pass Water Leak Adjustment Request
Date: Tuesday, March 16, 2021 4:38:00 PM

Mrs. Wright,

I was unable to receive a response for the information needed to complete a water leak adjustment and closed this request. Please let me know if you have any further question.

Thank You,
Jacob Parsons
Water Manager
City of Garden Ridge
Off: (210)651-6632

From: Assistant City Secretary <Asstcitysecretary@ci.garden-ridge.tx.us>
Sent: Monday, March 15, 2021 3:49 PM
To: [REDACTED]
Cc: Water Manager <WaterManager@ci.garden-ridge.tx.us>
Subject: FW: 19023 Seminole Pass Water Leak Adjustment Request

Hello Mrs. Wright,

As I stated on the phone, please see the emails below sent from the Water Manager regarding your Leak Adjustment Request. Currently your request is on hold until these questions are answered and reviewed by Jacob Parsons. He has been cc'd in this email.

Thank you,
Kat

From: Water Manager
Sent: Friday, February 26, 2021 4:35 PM
To: [REDACTED]
Cc: Water2 <Water2@ci.garden-ridge.tx.us>
Subject: RE: 19023 Seminole Pass Water Leak Adjustment Request

Mr. and Mrs. Wright,

We have not heard back from you regarding your water leak adjustment request and we are unable to continue the process until we get the requested information. We will keep your case open until March 12, 2021 to receive answers but will close the case if we are unable to make any more progress. We look forward to hearing back from you.

Thank You,

Jacob Parsons
Water Manager
City of Garden Ridge
Off: (210)651-6632

From: Water Manager
Sent: Tuesday, January 12, 2021 12:30 PM
To: [REDACTED]
Cc: Water2 <Water2@ci.garden-ridge.tx.us>
Subject: 19023 Seminole Pass Water Leak Adjustment Request

Mr. and Mrs. Wright,

We have reviewed your water leak adjustment request and I have a few more questions for you. After the first higher than usual water bill why did it take so long to find and repair the leak? Also where was the leak found? Did you have a second leak from the 11-5 to 11-6 and what was this leak? We look forward to hearing back from you in order to proceed with your request.

Thank You,
Jacob Parsons
Water Manager
City of Garden Ridge
Off: (210)651-6632

From: [Public Works](#)
To: [REDACTED]
Cc: [Water; Assistant City Secretary](#)
Subject: Leak adjustment questions
Date: Monday, July 19, 2021 1:50:15 PM
Attachments: [19023 Seminole Pass 11-5-20.xlsx](#)
[BALFOUR WRIGHT 7-16-2021 19 53 25 \(1\).xlsx](#)

Mr. and Mrs. Wright,

I have a few more questions regarding the case for the leak adjustment.

1. When were you first aware you had a leak on your property?
2. Was a repair made on November 3, 2020? It looks like you had a significant leak starting on 10/20/20 and ending on 11/03/2020. (See attachments)
3. Did you have another leak on 11/05/2020? See Attachment?
4. When did you discover the pool leak?
5. Was the pool leak repaired on January 13, 2021?

From: [Public Works](#)
To: [Water](#)
Subject: FW: [EXTERNAL] Re: leak adjustment
Date: Wednesday, July 21, 2021 4:04:12 PM
Attachments: [19023 Seminole Pass 11-5-20.xlsx](#)
[BALFOUR WRIGHT 7-16-2021 19 53 25 \(1\).xlsx](#)

Mr. Writes response to the questions.

From: [REDACTED]
Sent: Wednesday, July 21, 2021 3:34 PM
To: Public Works <publicworks@ci.garden-ridge.tx.us>
Cc: [REDACTED]
Subject: [EXTERNAL] Re: leak adjustment

Greetings?

1. When were you first aware you had a leak on your property?

End October early November when we noticed a big increase in \$\$.

2. Was a repair made on November 3, 2020? It looks like you had a significant leak starting on 10/20/20 and ending on 11/03/2020. (See attachments).

Repairs was made to water softner system. We also double checked sprinkler, toilets, and faucets. It was repaired. (Invoices was sent to garden ridge.). If you don't have them let me know .

3. Did you have another leak on 11/05/2020? See Attachment?

Yes, it appears so. The leak did appear to stop. A new mire modern gauge was installed by Garden Ridge. The system detected a leak. We then hired a underground representative, who then discovered the underground leak by pool. It was repaired. (Invoices was sent to garden ridge.). If you don't have them let me know .

4. When did you discover the pool leak

It was discovered in January, after a painful search for the problem.

5. Was the pool leak repaired on January 13, 2021?

Yes Sir!!

Please let me know you got it and if you need anything else.

Balfour Wright
210-846-5425
Please excuse typos/auto correct

"Sent from my iPhone"

On Jul 20, 2021, at 9:33 AM, Public Works <publicworks@ci.garden-ridge.tx.us> wrote:

Mr. and Mrs. Wright,

I have a few more questions regarding the case for the leak adjustment.

1. When were you first aware you had a leak on your property?
2. Was a repair made on November 3, 2020? It looks like you had a significant leak starting on 10/20/20 and ending on 11/03/2020. (See attachments)
3. Did you have another leak on 11/05/2020? See Attachment?
4. When did you discover the pool leak?
5. Was the pool leak repaired on January 13, 2021?

Print

City Commission Volunteer Interest Form - Submission #2651

Date Submitted: 2/7/2021



City of Garden Ridge

"A way of life, not just a place to live"

City Commission
Volunteer Interest
Form

First Name*

Brenda

Last Name

Reynolds

Address*

20525 Wahl Lane

Phone Number

210-867-8079

Email Address

[REDACTED]

Date of Birth*

[REDACTED]

Voter Unique Identifier (VUID)

Qualifications from Ordinance No. 210*

Please check all the boxes that apply to you.

- ☒ A registered voter in Garden Ridge, TX
- ☒ Has resided in the City for at least six (6) months
- ☒ Has not been convicted of a felony
- ☒ Has not been found mentally incompetent by a final judgment of a court

Occupation

human resources executive

Please check which of the following Commission you have a desire to serve on:

☐ Planning and Zoning Commission

☐ Wildlife Management Advisory Commission

☐ Quarry Commission

☒ Any City Commission

☐ Water Commission

Tell us why you desire to serve on a City Commission.

I've lived in Garden Ridge since 2006. My son has gone to school here since kindergarten and he is going to finish high school here (graduates in 2027). I love our community and want to do my part to help and serve.

List any Boards, Commissions or Committees you have previously served on in Garden Ridge or other entities.

previous Board Member of American Heart Association and YMCA of Greater San Antonio

Please attach your resume or a bio.*

Resume for Brenda Reynolds February 2021.docx

Date

2/7/2021

A resume or a bio is required to be submitted with Volunteer Interest Form.

BRENDA REYNOLDS

20525 Wahl Ln, San Antonio 78266

210-867-8079 ~ [REDACTED]

PROFESSIONAL EXPERIENCE

AIRROSTI / San Antonio, TX

July 2007 through March 2020

Vice President, Human Resources

Airrosti is a patient-centered healthcare organization focused on fixing patients efficiently, while providing the highest level of quality care. As Vice President of HR, I managed a team responsible for all aspects of human resources, HIPAA compliance, credentialing, and risk management. These responsibilities included, but were not limited to;

- Talent Acquisition and Onboarding
- Employee Health and Wellness Benefits
- Company 401k
- Executive & Specialty Provider Benefits
- Compensation Administration
- Provider Compensation
- Organizational Policies and Procedures / Legal Compliance
- Internal Employee Investigations
- HIPAA Compliance
- Risk Management –
 - Managed malpractice insurance for 250+ providers and was primary contact for all malpractice claims
 - Managed all internal investigations
- Provider Credentialing
- Company Culture and Employee Relations
- Performance Management and Professional Development
- Employee Exits

We also partnered with other departments to meet their unique and specific business needs:

- Credentialing Committee Chair
- Manage automated Incident Reporting process
- Manage patient reported outcome tracking to identify treatment outliers
- Help as needed to write and implement various patient protocols such as Modesty Policy, Minor Consent, Consent to Share Information, etc.
- Conduct annual Case Review training series for providers which resulted in significantly higher awareness (proven through an increase in incident reports)
- Provide monthly training for Call Center management

HR CONSULTANT – APTIS / EUR
2004 – 2007

Vice President, Human Resources

Served as VPHR for this telecommunications company as they merged two entities (Aptis acquired EUR). Was responsible for all aspects of HR and worked with all department leaders to facilitate the merge of two very different cultures. Company was ultimately sold to private equity firm.

USLD / BILLING CONCEPTS/ NEXTIRA ONE
DECEMBER 1991 THROUGH MARCH 2003

Vice President, Human Resources

Started in 1991 with USLD as HR Manager with objective to start HR department for small but rapidly growing telecommunications company. Company grew quickly to 1,200+ employees organically and through acquisition. In 1996 the CEO split the company into two separate entities– USLD and Billing Concepts. USLD was sold and I stayed with CEO as head of HR for Billing Concepts. In 2001 Billing Concepts was acquired by Platinum Equity. Platinum Equity offered me a position as head of HR for their largest acquisition to date at that time, Nextira One. In all these roles I was responsible for all aspects of HR.

PROFESSIONAL AFFILIATIONS

SOCIETY OF HUMAN RESOURCE MANAGEMENT

SHRM-SCP CERTIFICATION recertification July 2021

PROFESSIONAL REFERENCES PROVIDED UPON REQUEST

Future Agenda Items

Water Commission

August 24, 2021 Regular Meeting

- 14** days before Meetings (08/10/2021) Water Commission and Staff items are due.
- 11** days before Meetings (08/13/2021) Water Commission Chair reviews agenda.
City Attorney is sent agenda.
- 7** days before Meetings (08/17/2021) Post agenda on bulletin board. Water Commission receives packet (allowing a day for corrections/request additional information be added)
- 5** days before Meetings (08/19/2021) Post agenda packet to City Website.
- 4** days before Meetings (08/20/2021) (72 hours) – Local Government Code requirement for posting

City Council = Red
 Planning & Zoning = Green
 Water Commission = Blue
 Quarry Commission = Purple
 Wildlife Management Advisory Commission = Brown
 Municipal Court = Gray

Sun	Mon	Tues	Wed	Thur	Fri	Sat
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

September 28, 2021 Regular Meeting

- 14** days before Meetings (09/14/2021) Water Commission and Staff items are due.
- 11** days before Meetings (09/17/2021) Water Commission Chair reviews agenda.
City Attorney is sent agenda.
- 7** days before Meetings (09/21/2021) Post agenda on bulletin board. Water Commission receives packet (allowing a day for corrections/request additional information be added)
- 5** days before Meetings (09/23/2021) Post agenda packet to City Website.
- 4** days before Meetings (09/24/2021) (72 hours) – Local Government Code requirement for posting

City Council = Red
 Planning & Zoning = Green
 Water Commission = Blue
 Quarry Commission = Purple
 Wildlife Management Advisory Commission = Brown
 Municipal Court = Gray
 City Holiday = Orange

Sun	Mon	Tues	Wed	Thur	Fri	Sat
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

PENDING FUTURE AGENDA ITEMS